


Septic tanks
Scale 1:20



Individual

CODE	SIZES		WALL THICKNESS	100mmØ 100mmØ		CAPACITY	WEIGHT	
	INTERNAL Ø x DEPTH			INLET	OUTLET			
	(mm)	(mm)		HEIGHT	HEIGHT			
			From Bottom					
	A	B	C	D	E	(ltrs)	(kg)	
A05A	1800	1875	w/base cast in	90	1575	1460	3325	3600
A06A	1800	1575	w/base cast in	90	1275	1160	2571	3100
A04AA	1500	1530	w/base cast in	75	1240	1160	1970	1840
A04BB	1200	1500	w/base cast in	75	1190	1160	1269	1400

- Our Septic tanks are approved to Australian Standard **AS/NZS 1546**.
- We comply with Department of Health, under the [Code of Practice for Product Approval of Onsite Wastewater Systems](#).
- Approval # F-AA-31116
- Further information can be found through www.public.health.wa.gov.au

** Weights & Measurements are a guide only. Some variations will occur.*

The information held throughout this website has been prepared with all reasonable care and thought, however MCP and its related agents do not warrant the accuracy of any information shown and do not accept any liability for negligence, any error or discrepancy or otherwise in the items shown.

Sets

CODE	DESCRIPTION	TOTAL WEIGHT (KG)
A00A	1500 & 1200 (BOTH TANKS) W/STANDARD COVERS (2PCE) & W/ BASES CAST IN	3860
A00B	1500 & 1200 (BOTH TANKS) W/TRAFFIC COVERS (2PCE) & W/ BASES CAST IN	4615

- Our Septic tanks are approved to Australian Standard **AS/NZS 1546**.
- We comply with Department of Health, under the [Code of Practice for Product Approval of Onsite Wastewater Systems](#).
- Approval # **F-AA-31116**
- Further information can be found through www.public.health.wa.gov.au

** Weights & Measurements are a guide only. Some variations will occur.*

The information held throughout this website has been prepared with all reasonable care and thought, however MCP and its related agents do not warrant the accuracy of any information shown and do not accept any liability for negligence, any error or discrepancy or otherwise in the items shown.